



GNITED MINDS
Journals

*Journal of Advances in
Science and Technology*

*Vol. IV, No. VII, November-
2012, ISSN 2230-9659*

**STUDY ON BASIC BIOMOLECULES WITH
SPECIAL REFERENCE TO THEIR ROLE IN
LIVING SYSTEM**

Study on Basic Biomolecules with Special Reference to Their Role in Living System

Bibhudatta Mohanty¹, Dr. Akhilesh Kumar²

¹Research Scholar, Monad University, Hapur, Ghaziabad (U.P)

²Assistant Professor, Govt. PG College, Narnaul, Haryana

Abstract – Biomolecules are not limited to, proteins, carbohydrates, nucleic acids, and lipids. These molecules are the basic building blocks of life and by controlling, creating, and manipulating their form and function there are many new avenues and advantages available to society. Since every biomolecule is different, there are a number of techniques used to manipulate each one respectively. Proteins are polymers that are made up of amino acid chains linked with peptide bonds. They have four distinct levels of structure: primary, secondary, tertiary, and quaternary. Carbohydrates are another important biomolecule. These are polymers, called polysaccharides, which are made up of chains of simple sugars connected via glycosidic bonds. These monosaccharides consist of a five to six carbon ring that contains carbon, hydrogen, and oxygen - typically in a 1:2:1 ratio, respectively. Nucleic acids are macromolecules that consist of DNA and RNA which are biopolymers consisting of chains of biomolecules. These two molecules are the genetic code and template that make life possible. Manipulation of these molecules and structures causes major changes in function and expression of other macromolecules. Nucleosides are glycosylamines containing a nucleobase bound to either ribose or deoxyribose sugar via a beta-glycosidic linkage.

Common fatty acids include lauric acid, stearic acid, and oleic acid. The study and engineering of lipids typically focuses on the manipulation of lipid membranes and encapsulation. Cellular membranes and other biological membranes typically consist of a phospholipid bilayer membrane, or a derivative thereof.

Key words: building blocks, primary, secondary, tertiary, monosaccharides, phospholipid bilayer.

INTRODUCTION

Biomolecular engineering is the application of engineering principles and practices to the purposeful manipulation of molecules of biological origin. Biomolecular engineers integrate knowledge of biological processes with the core knowledge of chemical engineering in order to focus on molecular level solutions to issues and problems in the life sciences related to the environment, agriculture, energy, industry, food production, biotechnology and medicine. Biomolecular engineers purposefully manipulate carbohydrates, proteins, nucleic acids and lipids within the framework of the relation between their structure, function and properties and in relation to applicability to such areas as environmental remediation, crop and life stock production, biofuel cells and biomolecular diagnostics. Fundamental attention is given to the thermodynamics and kinetics of molecular recognition in enzymes, antibodies, DNA hybridization, bio-conjugation/ bio-immobilization and bioseparations. Attention is also given to the rudiments of engineered biomolecules in cell signaling, cell growth kinetics, biochemical pathway engineering and bioreactor engineering. Biomolecular engineers are leading the major shift towards understanding and

controlling the molecular mechanisms that define life as we know it.

REVIEW OF LITERATURE

During World War II, the need for large quantities of penicillin of acceptable quality brought together chemical engineers and microbiologists to focus on penicillin production. This created the right conditions to start a chain of reactions that lead to the creation of the field of biomolecular engineering. Biomolecular engineering was first defined in 1992 by the National Institutes of Health as "research at the interface of chemical engineering and biology with an emphasis at the molecular level". Although first defined as research, biomolecular engineering has since become an academic discipline and a field of engineering practice. Herceptin, a humanized Mab for breast cancer treatment, became the first drug designed by a biomolecular engineering approach and was approved by the FDA. Also, Biomolecular Engineering was a former name of the journal "New Biotechnology"

Bio-inspired technologies of the future can help explain biomolecular engineering. Looking at

the Moore's law "Prediction", in the future quantum and biology-based processors are "big" technologies. With the use of biomolecular engineering, the way our processors work can be manipulated in order to function in the same sense a biological cell work. Biomolecular engineering has the potential to become one of the most important scientific disciplines because of its advancements in the analyses of gene expression patterns as well as the purposeful manipulation of many important biomolecules to improve functionality. Research in this field may lead to new drug discoveries, improved therapies, and advancement in new bioprocess technology. With the increasing knowledge of biomolecules, the rate of finding new high-value molecules including but not limited to antibodies, enzymes, vaccines, and therapeutic peptides will continue to accelerate. Biomolecular engineering will produce new designs for therapeutic drugs and high-value biomolecules for treatment or prevention of cancers, genetic diseases, and other types of metabolic diseases. Also, there is anticipation of industrial enzymes that are engineered to have desirable properties for process improvement as well the manufacturing of high-value biomolecular products at a much lower production cost. Using recombinant technology, new antibiotics that are active against resistant strains will also be produced.

MATERIAL AND METHOD:

Basic Biomolecules

Biomolecular Engineering deals with the manipulation of many key biomolecules. These include, but are not limited to, proteins, carbohydrates, nucleic acids, and lipids. These molecules are the basic building blocks of life and by controlling, creating, and manipulating their form and function there are many new avenues and advantages available to society. Since every biomolecule is different, there are a number of techniques used to manipulate each one respectively.

Proteins

Proteins are polymers that are made up of amino acid chains linked with peptide bonds. They have four distinct levels of structure: primary, secondary, tertiary, and quaternary. Primary structure refers to the amino acid backbone sequence. Secondary structure focuses on minor conformations that develop as a result of the hydrogen bonding between the amino acid chain. If most of the protein contains intermolecular hydrogen bonds it is said to be fibrillar, and the majority of its secondary structure will be beta sheets. However, if the majority of the orientation contains intramolecular hydrogen bonds, then the protein is referred to as globular and mostly consists of alpha helices. There are also conformations that consist of a mix of alpha helices and beta sheets as well as a beta helices with an alpha sheets. The tertiary structure of proteins deal with their folding process and how the overall molecule is arranged. Finally, a quaternary structure is a group of tertiary proteins coming together and binding. With

all of these levels, proteins have a wide variety of places in which they can be manipulated and adjusted. Techniques are used to affect the amino acid sequence of the protein (site directed mutagenesis), the folding and conformation of the protein, or the folding of a single tertiary protein within a quaternary protein matrix. Proteins that are the main focus of manipulation are typically enzymes. These are proteins that act as catalysts for biochemical reactions. By manipulating these catalysts, the reaction rates, products, and effects can be controlled. Enzymes and proteins are important to the biological field and research that there are specific subsets of engineering focusing only on proteins and enzymes. See protein engineering.

Carbohydrates

Carbohydrates are another important biomolecule. These are polymers, called polysaccharides, which are made up of chains of simple sugars connected via glycosidic bonds. These monosaccharides consist of a five to six carbon ring that contains carbon, hydrogen, and oxygen - typically in a 1:2:1 ratio, respectively. Common monosaccharides are glucose, fructose, and ribose. When linked together monosaccharides can form disaccharides, oligosaccharides, and polysaccharides: the nomenclature is dependent on the number of monosaccharides linked together. Common disaccharides, two monosaccharides joined together, are sucrose, maltose, and lactose. Important polysaccharides, links of many monosaccharides, are cellulose, starch, and chitin.

Cellulose is a polysaccharide made up of beta 1-4 linkages between repeat glucose monomers. It is the most abundant source of sugar in nature and is a major part of the paper industry. Starch is also a polysaccharide made up of glucose monomers; however, they are connected via an alpha 1-4 linkage instead of beta. Starches, particularly amylose, are important in many industries, including the paper, cosmetic, and food. Chitin is a derivation of cellulose, possessing an acetamide group instead of an -OH on one of its carbons. Acetamide group is deacetylated the polymer chain is then called chitosan. Both of these cellulose derivatives are a major source of research for the biomedical and food industries. They have been shown to assist with blood clotting, have antimicrobial properties, and dietary applications. A lot of engineering and research is focusing on the degree of deacetylation that provides the most effective result for specific applications.

Nucleic Acids

Nucleic acids are macromolecules that consist of DNA and RNA which are biopolymers consisting of chains of biomolecules. These two molecules are the genetic code and template that make life possible. Manipulation of these molecules and structures causes major changes in function and expression of

other macromolecules. Nucleosides are glycosylamines containing a nucleobase bound to either ribose or deoxyribose sugar via a beta-glycosidic linkage. The sequence of the bases determine the genetic code. Nucleotides are nucleosides that are phosphorylated by specific kinases via a phosphodiester bond. Nucleotides are the repeating structural units of nucleic acids. The nucleotides are made of a nitrogenous base, a pentose (ribose for RNA or deoxyribose for DNA), and three phosphate groups. See, Site-directed mutagenesis, recombinant DNA, and ELISAs.

Lipids

Lipids are biomolecules that are made up of glycerol derivatives bonded with fatty acid chains. Glycerol is a simple polyol that has a formula of $C_3H_5(OH)_3$. Fatty acids are long carbon chains that have a carboxylic acid group at the end. The carbon chains can be either saturated with hydrogen; every carbon bond is occupied by a hydrogen atom or a single bond to another carbon in the carbon chain, or they can be unsaturated; namely, there are double bonds between the carbon atoms in the chain. Common fatty acids include lauric acid, stearic acid, and oleic acid. The study and engineering of lipids typically focuses on the manipulation of lipid membranes and encapsulation. Cellular membranes and other biological membranes typically consist of a phospholipid bilayer membrane, or a derivative thereof.

CONCLUSION:

Along with the study of cellular membranes, lipids are also important molecules for energy storage. By utilizing encapsulation properties and thermodynamic characteristics, lipids become significant assets in structure and energy control when engineering molecules. While Nucleotides are nucleosides that are phosphorylated by specific kinases via a phosphodiester bond. Nucleotides are the repeating structural units of nucleic acids. Carbohydrates have been shown to assist with blood clotting, have antimicrobial properties, and dietary applications. A lot of engineering and research is focusing on the degree of deacetylation that provides the most effective result for specific applications.

REFERENCES

1. ^ Cornell Chronicle, May 14, 1987, page 3. Biologists invent gun for shooting cells with DNA
2. ^ Sanford JC et al (1987) Delivery of substances into cells and tissues using a particle bombardment process. *Journal of Particulate Science and Technology* 5:27-37.
3. ^ Klein, TM et al (1987) High-velocity microprojectiles for delivering nucleic acids into living cells. *Nature* 327:70-73.
4. ^ Lee LY, Gelvin SB (February 2008). "T-DNA binary vectors and systems". *Plant Physiol.* **146** (2):325-332. doi:10.1104/pp.107.113001. OCLC 1642351. PMC 2245830. PMID 18250230.
5. ^ Park F (October 2007). "Lentiviral vectors: are they the future of animal transgenesis?". *Physiol. Genomics* **31** (2): 159–173. doi:10.1152/physiolgenomics.00069.2007. OCLC 37367250. PMID 17684037.
6. ^ Jackson, DA; Symons, RH; Berg, P (1 October 1972). "Biochemical Method for Inserting New Genetic Information into DNA of Simian Virus 40: Circular SV40 DNA Molecules Containing Lambda Phage Genes and the Galactose Operon of *Escherichia coli*". *PNAS* **69** (10): 2904–2909. Bibcode:1972PNAS...69.2904J. doi:10.1073/pnas.69.10.2904. PMC 389671. PMID 4342968.
7. ^ M. K. Sateesh (25 August 2008). *Bioethics And Biosafety*. I. K. International Pvt Ltd. pp. 456–. ISBN 978-81-906757-0-3. Retrieved 27 March 2013.
8. ^ Jefferson R. A. Kavanagh T. A. Bevan M. W. (1987). "GUS fusions: beta-glucuronidase as a sensitive and versatile gene fusion marker in higher plants". *EMBO journal* **6**(13): 3901–3907. ISSN 0261-4189. PMC 553867. PMID 3327686.
9. ^ Nosowitz, Dan (15 September 2011) Suntory Creates Mythical Blue (Or, Um, Lavender-ish) Rose Popular Science, Retrieved 30 August 2012
10. ^ a b c Phys.Org website. April 4, 2005 Plant gene replacement results in the world's only blue rose
11. ^ Kyodo (11 September 2011) Suntory to sell blue roses overseas The Japan Times, Retrieved 30 August 2012
12. ^ Wired Report 2011
13. ^ Gasdaska JR et al (2003) Advantages of Therapeutic Protein Production in the Aquatic Plant *Lemna*. *BioProcessing Journal* Mar/Apr 2003 pp 49–56 [1]

14. ^ (10 December 2012) Engineering algae to make complex anti-cancer 'designer' drug PhysOrg, Retrieved 15 April 2013
15. ^ Büttner-Mainik, A., et al (2011): Production of biologically active recombinant human factor H in *Physcomitrella*. *Plant Biotechnology Journal* 9, 373–383. [2]
16. ^ Baur, A., R. Reski, G. Gorr (2005): Enhanced recovery of a secreted recombinant human growth factor using stabilizing additives and by co-expression of human serum albumin in the moss *Physcomitrella patens*. *Plant Biotech. J.* 3, 331–340 [3]
17. ^ Protalix website – technology platform
18. ^ Gali Weinreb and Koby Yeshayahou for Globes May 2, 2012. FDA approves Protalix Gaucher treatment
19. ^ <http://www.agf.gov.bc.ca/pesticides/infosheets/bt.pdf>. Retrieved 21 January 2011
20. ^ Hope, Alan (3 April 2013), News in brief: The Bio Safety Council..., Flanders Today, Page 2; In 2013, the Flemish Institute for Biotechnology was supervising a trial of 448 poplar trees genetically engineered to produce less lignin so that they would be more suitable for conversion into bio-fuels.
21. ^ Nielsen, K. M. (2003). "Transgenic organisms—time for conceptual diversification?". *Nature Biotechnology* 21 (3): 227–228. doi:10.1038/nbt0303-227. PMID 12610561. edit
22. ^ Schouten, H.; Krens, F.; Jacobsen, E. (2006). "Cisgenic plants are similar to traditionally bred plants: international regulations for genetically modified organisms should be altered to exempt cisgenesis". *EMBO Reports* 7 (8): 750–753. doi:10.1038/sj.embor.7400769. PMC 1525145. PMID 16880817. edit
23. ^ Prins, T.W. and Kok, E.J. (2010) Food and feed safety aspects of cisgenic crop plant varieties Report 2010.001, Project number: 120.72.667.01, RIKILT – Institute of Food Safety, Netherlands. Retrieved 6 September 2010.
24. ^ Melo, Eduardo O.; Canavessi, Aurea M. O.; Franco, Mauricio M.; Rumpf, Rodolpho (2007). "Animal transgenesis: state of the art and applications". *J. Appl. Genet.* 48(1): 47–61. doi:10.1007/BF03194657. PMID 17272861. Archived from the original on 26 September 2009.
25. ^ Leader, Benjamin; Baca, Qentin J.; Golan, David E. (January 2008). "Protein therapeutics: a summary and pharmacological classification". *Nat Rev Drug Discov.* A guide to drug discovery 7 (1): 21–39. doi:10.1038/nrd2399. PMID 18097458. Leader 2008 — Fee required for access to full text.
26. ^ Walsh, Gary (April 2005). "Therapeutic insulins and their large-scale manufacture". *Appl. Microbiol. Biotechnol.* 67 (2): 151–159. doi:10.1007/s00253-004-1809-x. PMID 15580495. Walsh 2005 — Fee required for access to full text.
27. ^ Summers, Rebecca (24 April 2013) Bacteria churn out first ever petrol-like biofuel New Scientist, Retrieved 27 April 2013
28. ^ Pipe, Steven W. (May 2008). "Recombinant clotting factors". *Thromb. Haemost.* 99 (5): 840–850. doi:10.1160/TH07-10-0593. PMID 18449413.
29. ^ Bryant, Jackie; Baxter, Louise; Cave, Carolyn B.; Milne, Ruairidh; Bryant, Jackie (2007). "Recombinant growth hormone for idiopathic short stature in children and adolescents". In Bryant, Jackie. *Cochrane Database Syst Rev* (3): CD004440. doi:10.1002/14651858.CD004440.pub2. PMID 17636758. Bryant 2007 — Fee required for access to full text.
30. ^ Baxter L, Bryant J, Cave CB, Milne R (2007). "Recombinant growth hormone for children and adolescents with Turner syndrome". In Bryant, Jackie. *Cochrane Database Syst Rev* (1): CD003887. doi:10.1002/14651858.CD003887.pub2. PMID 17253498.
31. ^ Panesar, Pamit et al (2010) "Enzymes in Food Processing: Fundamentals and Potential Applications", Chapter 10, I K International Publishing House, ISBN 978-9380026336
32. ^ EFSA (2012). Genetically modified animals. Europe: EFSA. <http://www.efsa.europa.eu/en/topics/topic/gmanimals.htm>.
33. ^ Murray, Joo (20). Genetically modified animals. Canada: Brainwaving. <http://www.brainwaving.com/2010/07/28/genetically-modified-animals/>.
34. ^ Jaenisch, R. and Mintz, B. (1974). "Simian virus 40 DNA sequences in DNA of healthy adult mice derived from preimplantation blastocysts injected with viral DNA.". *Proc. Natl. Acad. Sci.* 71 (4): 1250–1254. Bibcode:1974PNAS...71.1250J. doi:10.1073/pnas.71.4.1250. PMC 388203. PMID 4364530.
35. ^ rudinko, larisa (20). Guidance for industry. USA: Center for veterinary medicine Link.
36. ^ Sathasivam K, Hobbs C, Mangiarini L, et al. (June 1999). [http://journals.royalsociety.org/openurl.asp?genre=article&issn=0962-8436&volume=354&issue=1386&spage=963 "Transgenic models of Huntington's disease"]. *Philos. Trans. R. Soc. Lond., B, Biol. Sci.* 354 (1386): 963–

9.doi:10.1098/rstb.1999.0447. PMC 1692600. PMID 10434294.

37. ^ Spencer, L; Humphries, J; Brantly, M. (12 May 2005). "Antibody Response to Aerosolized Transgenic Human Alpha1-Antitrypsin". *New England Journal of Medicine* **352**: 19. Retrieved 28 April 2011.

38. ^ "The Nobel Prize in Chemistry 2008". The Official Web Site of the Nobel Foundation. Retrieved 2012-08-31.

39. ^ Cabot, R. A.; Kühholzer, B.; Chan, A. W. S.; Lai, L.; Park, K. -W.; Chong, K. -Y.; Schatten, G.; Murphy, C. N. et al. (2001). "Transgenic Pigs Produced Using in Vitro Matured Oocytes Infected with a Retroviral Vector". *Animal Biotechnology* **12** (2): 205–214. doi:10.1081/ABIO-100108347. PMID 11808636. edit

40. ^ Lai, L.; Park, K. W.; Cheong, H. T.; Kühholzer, B.; Samuel, M.; Bonk, A.; Im, G. S.; Rieke, A. et al. (2002). "Transgenic pig expressing the enhanced green fluorescent protein produced by nuclear transfer using colchicine-treated fibroblasts as donor cells". *Molecular Reproduction and Development* **62** (3): 300–306. doi:10.1002/mrd.10146. PMID 12112592. edit

41. ^ Hogg, Chris (12 January 2006) Taiwan Breeds Green-Glowing Pigs BBC, Retrieved 31 August 2012

42. ^ ^{a b} Staff (8 January 2008) Fluorescent Chinese pig passes on trait to offspring AFP, Retrieved 31 August 2012

43. ^ ^{a b} Kawarasaki, T.; Uchiyama, K.; Hirao, A.; Azuma, S.; Otake, M.; Shibata, M.; Tsuchiya, S.; Enosawa, S. et al. (2009). "Profile of new green fluorescent protein transgenic Jinhua pigs as an imaging source". *Journal of Biomedical Optics* **14** (5): 054017. doi:10.1117/1.3241985. PMID 19895119. edit

44. ^ ^{a b} Randall S. et al (2008) Genetically Modified Pigs for Medicine and Agriculture Biotechnology and Genetic Engineering Reviews – Vol. 25, 245–266, Retrieved 31 August 2012

45. ^ Staff (2006) NTU produces green fluorescent pigs for medical research Taiwan Central News Agency, Retrieved 31 August 2012

46. ^ Wongsrikeao P, Saenz D, Rinkoski T, Otoi T, Poeschla E (2011). "Antiviral restriction factor transgenesis in the domestic cat". *Nature Methods* **8** (10): 853–9. doi:10.1038/nmeth.1703. PMID 21909101.

47. ^ Staff (3 April 2012) Biology of HIV National Institute of Allergy and Infectious Diseases, Retrieved 31 August 2012.

48. ^ Sasaki, E.; Suemizu, H.; Shimada, A.; Hanazawa, K.; Oiwa, R.; Kamioka, M.; Tomioka, I.; Sotomaru, Y. et al. (2009). "Generation of transgenic non-human primates with germline transmission". *Nature* **459** (7246): 523–527. Bibcode:2009Natur.459..523S. doi:10.1038/nature08090. PMID 19478777. edit

49. ^ Schatten, G.; Mitalipov, S. (2009). "Developmental biology: Transgenic primate offspring". *Nature* **459** (7246): 515–516. Bibcode:2009Natur.459..515S. doi:10.1038/459515a. PMC 2777739. PMID 19478771. edit

50. ^ Cyranoski, D. (2009). "Marmoset model takes centre stage". *Nature* **459** (7246): 492–492. doi:10.1038/459492a. PMID 19478751. edit

51. ^ Louis-Marie Houdebine (2009) Production of Pharmaceutical by transgenic animals. Comparative Immunology, Microbiology & Infectious Diseases 32(2): 107–121 [4]

52. ^ Britt Erickson, 10 February 2009, for Chemical & Engineering News. FDA Approves Drug From Transgenic Goat Milk Accessed October 6, 2012

53. ^ ^{a b c d} Guelph(2010). Enviropig. Canada: <http://www.uoguelph.ca/enviropig/index.shtml>.

54. ^ Schimdt, Sarah. Genetically engineered pigs killed after funding ends, Postmedia News, June 22, 2012. Accessed July 31, 2012.

55. ^ ^{a b} Canada. "Enviropig — Environmental Benefits | University of Guelph". Uoguelph.ca. Retrieved 8 March 2010.

56. ^ stevenson, heidi(2011). Scientists Use Human Genes in Animals, So Cows Produce Human-Like Milk—Or Do They? USA: <http://www.gaia-health.com/articles401/000433-human-genes-cows-produce-human-milk.shtml>.

57. ^ Classical Medicine Journal (14 April 2010). "Genetically modified cows producing human milk".

58. ^ Yapp, Robin (11 June 2011). "Scientists create cow that produces 'human' milk". *The Daily Telegraph* (London). Retrieved 15 June 2012.

59. ^ Javed, A.; Wagner, S.; McCracken, J.; Wells, D. N.; Laible, G. (2012). "Targeted microRNA

expression in dairy cattle directs production of -
lactoglobulin-free, high-casein milk". *Proceedings of
the National Academy of
Sciences*. doi:10.1073/pnas.1210057109. edit

60. ^ Lai L et al. (2006). "Generation of cloned
transgenic pigs rich in omega-3 fatty acids". *Nature
Biotechnology* **24** (4): 435–
436. doi:10.1038/nbt1198. PMC 2976610. PMID 16565
727. Retrieved 2009-03-29.

61. ^ Zyga, Lisa(2010). Scientist bred goats that
produce spider silk. Link.

62. ^ a b {AquAdvantage salmon}[5]