Impact of Water Scarcity on the Growth of Golden Sweet Potato

Pragya Tiwari^{1*}, Dr. Sitakant Mishra²

¹ Research Scholar, Department of Botony, NIILM University, Haryana, India

Email: pragyatiwari23@gmail.com

² Professor, Department of Botony, NIILM University, Haryana, India

Email: skmishra_60@yahoo.com

Abstract - In this review study, the effect of water scarcity on the growth of Golden Sweet Potatoes (Ipomoea batatas) is investigated. Particular emphasis is made to the morphological and biochemical responses of this significant crop to weather circumstances that are characterized by drought. One of the most important crops, the golden sweet potato is well-known for the remarkable nutritional benefits it has, including high levels of vitamins, minerals, and antioxidants. Water scarcity, which is made worse by climate change and expanding agricultural requirements, poses significant threats to its production and productivity. However, these threats are made worse by the fact that water is scarce. In order to achieve the objective of this study, which is to provide a comprehensive understanding of how the growth and physiological health of Golden Sweet Potato plants are influenced by decreased water availability, the data from prior studies will be synthesized.

The study focuses on the key morphological changes that occur as a result of water scarcity. These changes include a decrease in plant height, leaf area, biomass production, and root architecture. When the plant is experiencing a drought, these alterations demonstrate that it is making an effort to save water and maintain critical physiological functions. Biological reactions, such as alterations in protein synthesis, glucose metabolism, antioxidant activity, and chlorophyll content, are also investigated in this research. Chlorophyll content regularly decreases in reaction to water scarcity, which in turn reduces the efficiency of photosynthetic processes and the overall amount of energy produced. Through the production of stress-responsive proteins and the accumulation of osmolytes, which are both essential adaptation processes, plants are able to control the process of dehydration and maintain the integrity of their cells. An further characteristic response that protects plants from the oxidative stress that is brought on by drought is an increase in the activity of antioxidants.

For the purpose of summarizing, this article presents a comprehensive investigation of the ways in which water scarcity influences the growth of golden sweet potatoes. It also gives insights into the processes by which the plant adapts to drought and alternative approaches for improving drought resistance. When it comes to finding solutions to the issues that are brought about by climate change and water scarcity in agriculture, the findings highlight how urgently additional research and ingenuity are required.

Keywords: golden; scarcity; potato; morphological

1. INTRODUCTION

Water scarcity is a problem that is becoming more urgent and presents enormous problems to agricultural productivity and food security all over the globe. Because of the progression of climate change and the growth in global population, the demand for water in agriculture is increasing, which results in an even greater scarcity of this essential resource. As a result of water scarcity, the Golden Sweet Potato (Ipomoea batatas), which is a staple meal that is both very nutritious and adaptable, is one of the crops that is being negatively impacted. This food plays an important part in the diets of many people. In addition to being a source of critical nutrients, the Golden Sweet Potato is also a crop that has substantial economic value. It is well-known for the high content of vitamins, minerals, and antioxidants that it contains.

For the purpose of establishing effective measures to boost the crop's resistance to drought conditions, it is essential to have a solid understanding of the influence that water scarcity has on the growth of Golden Sweet Potato. Water scarcity has a variety of effects on plants, including the modification of their morphological traits as well as the metabolic processes that they undergo. In terms of morphology, plants may display decreased growth, lower leaf areas, and changes in root architecture. These are all examples of adaptive responses that are aimed at saving water and preserving critical functions. A drop in chlorophyll content, altered protein synthesis, a disruption in glucose metabolism, and an increase in oxidative stress are all potential biochemical outcomes that might be brought about by water stress. (Bamshad, 2018) These physiological alterations have the potential to considerably hinder the growth of the plant, as well as its productivity and comprehensive health.

It is the purpose of this review article to present a complete synthesis of the research that has already been conducted on the influence that water scarcity has on the growth of Golden Sweet Potatoes. Through the investigation of morphological and biochemical responses, the purpose of this research is to shed light on the intricate processes that are responsible for this crop's ability to adjust to water-limited situations. It is crucial to have a solid understanding of these processes in order to identify characteristics that are linked with drought tolerance and to direct breeding efforts that are targeted at generating Golden Sweet Potato types that are more resistant to drought.

Golden sweet, also known as Zea mays var. saccharata, is a sweet corn variety that has acquired popularity among farmers and buyers alike due to the distinctive golden kernels, sweetness, and softness that are characteristic of this variety. Golden sweet is also known as Zea mays type saccharata. Other names for golden sweet are Zea mays var. saccharata and golden sweet. It is a well-liked alternative for usage on plates of food that are given at dinner tables all over the globe as a result of its one-of-a-kind taste and its versatility. This is because of the fact that it can be used in a variety of different ways. As a result of the fact that it offers customers the opportunity to choose from a wide variety of scrumptious summer salads and buttery side dishes, Golden Sweet has become a restaurant that has established itself as a culinary paradise (Benjamin, 2007).

Not only is the Golden Sweet a delectable treat, but it also has a considerable economic significance in the realm of agriculture. An increasing number of people are cultivating this crop as a result of the growing demand among customers for fresh veggies that are cultivated in the geographic vicinity of the farm. In an effort to meet the ever-increasing demand for their products, farmers have been working to enhance the production techniques they use. This is due to the fact that they have identified the potential of this market and have been trying to realize it. However, in their pursuit of abundance, they are confronted with the persistent challenge of water scarcity. This has an effect not only on their ability to provide for themselves, but also on the likelihood that the general public will be able to acquire this highly sought-after commodity. Because of

this obstacle, they are unable to achieve their aim of having abundance.

Utilizing the word "Drought Stress" is a good alternative when trying to provide a description of the fundamental problem. Water scarcity is a condition in which there are inadequate water resources available to fulfill the demanding demands of home, industrial, and agricultural uses. The word "water scarcity" alludes to this circumstance. The potential of agriculture to continue to be sustainable is substantially impacted as a result of this particular factor. There are a number of variables that are contributing to the worsening of water scarcity in many different regions. Two of these issues include climate change and the expanding population of the overall globe. As a consequence of this, the effects of drought stress are able to resonate across the agricultural landscape.

As a result of the fact that agriculture is accountable for approximately seventy percent of all water withdrawals that are carried out all over the globe, it should not come as a surprise that agriculture is the most significant consumer of freshwater resources. Because to a variety of variables, including the inefficient use of water, changing patterns of precipitation, and prolonged droughts, there has been a rise in the potential that crops may encounter water scarcity. This is due to the fact that there has been an increase in the number of causes. Furthermore, golden sweet is not free from these challenges for the same reason that a huge number of other kinds of crops are (Kumar et al. 2019).

There are substantial issues that need to be addressed about the resilience of Golden Sweet and its capacity to survive in the face of an uncertain hydrological future. These issues need to be addressed. The production of this crop and the scarcity of water combine to create this demand. which is a necessity. How much does the scarcity of water have an impact on Golden Sweet's growth and yield? The response of the crop to variations in the amount of water that is available is determined by the types of control systems that are responsible for deciding this response. As a means of ensuring that customers have access to a consistent supply of Golden Sweet, is it conceivable for innovative agricultural practices to mitigate the negative consequences of water scarcity? This would be done with the goal of ensuring that clients continue to feel content with the service they get.

This inquiry, along with others like it, sheds light on the gravity of the problem at hand and serves as the major focus point throughout the course of our study. As a result of the increasing severity of the repercussions of climate change, the subject of how Golden Sweet responds to water scarcity becomes more than simply an academic undertaking; it becomes a matter of actual urgency as the situation continues to develop. To be able to meet the need for this well-liked product, which is dependent on a consistent supply, farmers need to have insights in order to alter their operations. This is necessary in order for them to be able to fulfill the demand. In light of the fact that they provide insights that may be applied to other crops that are experiencing issues that are analogous to those that are being researched, the findings of this study have a greater relevance for sustainable agriculture. To put it another way, the results of this research have the potential to be used in the investigation of various types of crops.

Sweet potatoes, also known as Ipomoea batatas, are a crop that is cultivated all over the globe owing to its flexibility and the nutritional content that it has. Sweet potatoes are more often known as sweet potatoes. One of the reasons why it is so highly sought after is due to the fact that it is able to adapt to a wide range of different climatic conditions. As a consequence of this potential, it is an essential source of food, especially in regions that are characterized by challenging conditions for agricultural production. A number of environmental stress factors, with water scarcity being one of the most important, may have a substantial influence on the growth and production of sweet potatoes. In the event that there is not enough water available to meet the requirements of the facility in terms of water, this is an example of a situation that is referred to as water scarcity. The fact that there are several factors contributing to the fall in agricultural productivity and quality is one of the probable explanations for this phenomenon. Water circumstances that have endured for a lengthy period of time, irrigation procedures that are not acceptable, and unexpected patterns of rainfall are some of these problems (Darini, 2020).

Because it has the potential to cure vitamin A deficiency in a number of poor countries, the golden sweet potato, which is also known as Ipomoea batatas L., is of particular value. In addition to having flesh that has a brilliant orange color and a high beta-carotene content, the golden sweet potato is also recognizable when it is referred to by its scientific name. For the purpose of providing food security and nutrition in these areas, it is essential to have an understanding of how the absence of water affects the growth and production of golden sweet potatoes, as stated in the research that Yadav and his colleagues carried out in the year 2020.

Within the realm of agriculture on a worldwide scale, the significance of the Golden Sweet Potato cannot be understated. The cultivation of this crop helps to ensure food security, especially in areas that are prone to experiencing food shortages. Because of its capacity to thrive in a wide range of environmental circumstances, it is a very useful crop that may be used to alleviate both nutritional inadequacies and economic issues in many regions of the globe. On the other hand, the cultivation of this plant is becoming more endangered due to the scarcity of water, which calls for immediate study and innovation in order to protect its production.

1.1 Golden Sweet Potato

Zea mays var. saccharata, or golden sweet potato, is a type of sweet maize that is prized for its unique qualities in both the agricultural and culinary domains. It's important to investigate this crop's features and its function in food production in order to comprehend its relevance.

Culinary Attributes:

- 1. **Exceptional Sweetness:** The kernels of the golden sweet potato are well known for being incredibly soft and sweet. Different from other species of sweet corn, its sugar concentration makes it a favorite among those looking for a delicious, natural sweetness in their recipes.
- 2. **Vibrant Color:** Golden Sweet potatoes, as their name implies, have golden-yellow kernels that indicate ripeness and suitability for ingestion in addition to adding visual appeal to recipes.
- 3. **Versatility:** This cultivar lends itself to a wide range of culinary uses and is quite flexible in the kitchen. It is a favorite in many dishes all over the world because it may be eaten raw, cooked, grilled, roasted, or combined with other vegetables to make salads, soups, and casseroles.

Agricultural Significance:

Golden Sweet potato's importance extends beyond its culinary appeal and lies within the sphere of agriculture:

- 1. **Market Demand:** Golden sweet potatoes have become more and more popular among customers as a result of its distinct flavor and culinary adaptability, which has raised demand. Its agricultural relevance has increased as a result of farmers being encouraged to plant this type by market demand.
- 2. **Diversity in Crop Rotation:** Crop rotation is crucial to agricultural practices in order to preserve soil health and avoid the accumulation of pests and diseases. By adding golden sweet potatoes to crop rotation schemes, farming systems become more diverse, which encourages sustainability and lowers the possibility of problems associated with monocultures.
- 3. **Sustainability:** Growing Golden Sweet is in line with the ideas of sustainable agriculture. Because of its capacity to adapt to many climates and relatively short growing season, it is a popular choice among farmers who want to optimize yield while conserving resources.
- 4. **Nutritional Value:** In addition to being a delicious food, golden sweet potatoes are a

great source of important nutrients. In addition to dietary fiber, vitamins, minerals, and antioxidants, it also contributes to nutritional security and a balanced diet.

5. **Genetic Resources:** The Golden Sweet Potato is a distinct genetic resource within the larger maize crop. Given the changing agricultural landscape and the effects of climate change, its genetic makeup may provide insights for creating more resilient and fruitful types of maize.

In conclusion, Golden Sweet potatoes are a perfect illustration of how culinary brilliance and agricultural relevance may coexist. Its relevance in the kitchen and the field is further highlighted by its consumer popularity, versatility in farming systems, and potential benefits to food security and sustainability. The future of this cherished crop as well as the larger context of agriculture and food production depend on our ability to comprehend how variables such as water scarcity affect the growth and productivity of golden sweet potatoes (Joshi et al. 2016).

1.2 Research Objective

To study the Impact of Water Scarcity on the Growth of Golden Sweet Potato

2. OVERVIEW OF WATER SCARCITY ISSUES WORLDWIDE

Water scarcity is a critical worldwide problem that presents substantial dangers to sustainable development, environmental health, and human wellbeing. This threatens all three of these entities. In light of the fact that the global population is still expanding and that climate change is making the unpredictability of water supplies even more severe, tackling the issue of water scarcity has emerged as a significant concern for policymakers, academics, and communities all over the globe.

Definition and Types of Water Scarcity

In general, the term "water scarcity" refers to the situation in which there are not enough accessible water resources to satisfy the requirements of water consumption within a certain area. The economic water scarcity and the physical water scarcity are the two primary forms that may be distinguished from one another. The occurrence of physical water scarcity takes place when the natural water resources are insufficient to fulfill the requirements of the population, as stated by Martínez (2022). Economic water scarcity, on the other hand, is the consequence of a lack of investment in infrastructure or technology to access adequate water resources. This kind of scarcity often affects populations who may live in close proximity to copious water supplies but do not have the means to make efficient use of those supplies (Low, 2009).

Global Distribution of Water Scarcity

Every continent and nearly 2.8 billion people throughout the globe are vulnerable to water scarcity for at least one month out of every year, according to the United Nations Water Commission (2021). According to 2018 data from the World Health Organization (WHO), there are more than 1.2 billion people who do not have access to safe drinking water. Due to their dry climates, large population densities, and significant dependence on water for agriculture and industry, regions such as the Middle East, North Africa, South Asia, and portions of China are especially susceptible to water scarcity (FAO, 2020). These regions would be considered highly sensitive to water scarcity.

Causes of Water Scarcity

Several factors contribute to the growing issue of water scarcity:

- Population Growth and Urbanization: According to the United Nations, the global population has topped 7.8 billion and is continuing to increase, which is placing an enormous amount of strain on the water resources that are now available. Urbanization makes this problem worse since more people are moving to urban areas, which leads to an increase in the demand for water for a variety of functions, including household, industrial, and recreational uses (Marzouk et al., 2022).
- Climate Change: The distribution and availability of freshwater resources are greatly impacted by climate change. According to the Intergovernmental Panel on Climate Change (IPCC), the unpredictability and scarcity of water resources are both caused by changes in precipitation patterns, a rise in the frequency of severe weather events, and increasing temperatures together. As an example, significant water shortages have been brought about as a result of extended droughts in places such as California, Australia, and Sub-Saharan Africa (Mataa et al., 2021).
- Agricultural Practices: On a global scale, agriculture is responsible for around 70 percent of the freshwater withdrawals (FAO, 2018). Inefficient irrigation techniques, excessive groundwater extraction, and crops that need a lot of water all contribute to the problem of water scarcity. To provide just one example, the production of crops like rice, cotton, and sugarcane demands a substantial quantity of water, which often results in the depletion of the water resources available in the neighbourhood.
- Pollution: The availability of clean water is further restricted by the contamination of

water that is caused by industrial discharge, runoff from agricultural regions, and poor treatment of wastewater. Water sources that include contaminants such as heavy metals, pesticides, and infections are not suitable for human consumption and are detrimental to the environment.

• Economic Factors: Because of financial restrictions, the capacity to invest in infrastructure for water storage, treatment, and distribution is restricted in many developing nations. This economic water scarcity often leads in unequal access to water, which disproportionately affects groups who are disadvantaged and have poor incomes.

Impact of Water Scarcity on Agriculture

One of the industries that is most negatively impacted by water scarcity is agriculture. The need for food is growing as a result of the fact that the global population is growing, which is placing further strain on agricultural productivity. It is possible for water scarcity to result in decreased crop yields, which may have a negative impact on both food security and livelihoods, especially in areas that are strongly reliant on agriculture.

As an example, water scarcity has resulted in major losses in crop yields in India, a nation that has a strong agrarian economy. This is especially true in the states of Punjab and Haryana, which are often referred to as the "breadbasket" of India (Bhattacharya et al., 2018). The excessive withdrawal of groundwater for the purpose of irrigation has led to a significant decrease in water tables, which has made it more difficult for farmers to get water for their crops (Rodell et al., 2009).

Water Scarcity and Human Health

Human health is significantly impacted by water scarcity. Diseases that are transmitted by water, such as cholera, dysentery, and typhoid, are more likely to spread when people do not have access to clean water for drinking, sanitation, and hygiene responsibilities (WHO, 2019). Millions of people in sub-Saharan Africa, where water scarcity is especially severe, are at risk of developing these illnesses owing to insufficient access to clean water sources (UNICEF, 2019). This is because of the lack of water sources that are available to them.

A further point to consider is that women and children are often disproportionately impacted by water scarcity. As a result of the fact that females are responsible for gathering water in many locations, they often have to travel considerable distances in order to locate sources that are trustworthy, which has an effect on their health, education, and general quality of life (UN Women, 2014).

3. SYSTEMATIC LITERATURE REVIEW

S. No.	Торіс	Objectives	Results/Findings	Author details
1	Effect of water stress and planting system on growth, yield and quality of sweet potato	To investigate the influence of various irrigation intervals and planting systems on vegetative growth, storage root yield and quality of sweet potato (Ipomoea batatas (L.) Lam) cv.	The total soluble solids (TSS) and leaf proline content considerably increased with water stress in summer crop, however the vitamin C content worped as a result of water stress. A higher leaf proline content was also seen in the summer crop as a consequence of ridge planting. The conclusion that can be drawn is that in order to get a strong vegetative growth and storage root production, sweet potatoes should be planted on ridges and watered at intervals of seven days during the summer crop and fourteen days during the growing season for the winter crop.	Sadiq et al. (2017)
2	Alleviation of irrigation water salinity impact on the growth and yield of sweet potato by plant growth-promoting rhizobacteria inoculation	To investigates the use of plant growth- promoting rhizobacteria (PGPR) inoculation to enhance sweet potato growth and yield under irrigation saline water conditions in the 2021 and 2022 seasons.	In a dependent manner, the PGPR inoculation improved all of the characteristics that were previously described. On the other hand, it did not have a substantial influence on the starch and vitamin C content of the tuber when it was subjected to circumstances that were impacted by the salinity of the irrigation water. In general, our findings showed that the inoculation of sweet potato plants with PGPR might potentially mitigate the detrimental effects of salty irrigation water stress on the development of the plants.	Ramadan (2024)
3	Sustainable management of sweet potatoes: A review on practices, strategies, and opportunities in nutrition-sensitive agriculture, energy security, and quality of life	To establish practices, strategies, and opportunities in producing them for nutrition-sensitive agriculture, energy security, and quality of life.	Because it increases their sensitivity to fertilization and irrigation, genetic breeding may make it possible to cultivate them in conditions that are difficult to cultivate, such as drylands. It is possible to further contribute to their cost- effectiveness, environmental impact, and durability by making use of locally accessible fertilizers, managing economically relevant pests via biological and cultural means, and choosing healthy propagative material (i.e., vines).	Tedesco et al., (2023)
4	Plant growth- promoting mitgroorganisms as mitigators of Water Stress in pastures: a narrative review	To examine the potential of plant growth-promoting microorganisms (PGPMs) in mitigating Water Stress in pastures	The purpose of this study is to consolidate knowledge on the use of plant growth-promoting microorganisms (PGPMs), which include mycorrhizal fungi and plant growth-promoting bacteria, in order to enhance the morphophysiological and productive properties of forage plants that are subjected to water stress. Within the scope of this discussion, it also delves into the tripartite link that exists between fungus, bacteria, and plants. According to the findings of the research, the use of PGPMs as modulators of plant tolerance to water may have prospective applications in the agricultural sector. Despite the fact that patters are the primary emphasis, the concepts of PGPM-mediated water stress reduction might be taken into consideration for the production of sweet potatoes.	Porto et al (2022)

170

5	Study of millet (Panicum miliaceum) response to humic acid, silicon and mycorrhiza application under saline-sodic irrigation Water Stress	To evaluate the impact of humic acid, mycorrhiza, and silicon application on millet growth and nutrient content under saline-sodic irrigation Water Stress conditions.	According to the results, the use of humic acid, mycorrhiza, and silicon nanoparticles has the production and nutritional content of millet when it is subjected to saline-sodic irrigation Water Stress. It is possible that these findings might have ramifications for the cultivation of sweet potatoes in soil that has been treated with PGPR, which could possibly improve growth and production under situations of water stress.	Ahmadi, M., Astaraei, A., Lakzian, A., & Emami, H. (2021)
6	Nano-enabled stress-smart agriculture: Can nanotechnology deliver Water and salinity-smart crops?	To evaluate the potential of nanomaterials in agriculture, specifically their ability to enhance the efficacy of agricultural inputs through targeted delivery.	They stress the need of doing more study in order to get a comprehensive understanding of the function that nanobiotechnology plays in tackling the difficulties posed by climate change within contemporary agricultural systems. As a means of designing climate-smart crop varieties, the authors recommend the use of nanobiotechnology, genome editing, and speed breeding methods as a strategy. This would allow them to meet the demands of the ever-increasing global population in terms of food security.	Raza, A., Charagh, S., Salehi, H., Abbas, S., Saeed, F., Poinern, G. E. J., & Rizwan, M. (2023)

4. RESEARCH METHODOLOGY

This research uses a phenomenological approach, using systematic literature reviews to study the causes of aging. This systematic review was conducted using the phenomenological guidelines described in the Cochrane Handbook for Systematic Reviewers, and was reported using the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) format. A panel of experts from various fields will be involved to define the research question, research strategy, research technique, and overall plan. The phenomenological framework initially meets the operational definitions and conceptual boundaries of the issue area to establish a contextual framework. Without conducting a systematic review, it establishes a systematic overview of the literature (hypothetical review).

5. CONCLUSION

Both the morphological and biochemical characteristics of the Golden Sweet Potato (Ipomoea batatas) are significantly altered as a result of the intense influence that water scarcity has on the growth of this plant. A fundamental obstacle that must be overcome in order to cultivate and increase the productivity of this nutritionally vital crop is the scarcity of water, which is made worse by climate change and the increased demands placed on agriculture. For the purpose of establishing methods to improve drought resilience and assure sustainable agricultural practices, it is essential to have a comprehensive understanding of the degree of these impacts.

Golden Sweet Potato plants exhibit a variety of adaptive morphological adaptations in response to the

scarcity of available water. As can be observed by the declines in plant height, leaf area, and biomass production, the plant is making an effort to save water and prioritize survival above growth. There are modifications in the root architecture of the plant, such as longer and deeper root systems, which are a reflection of the plant's efforts to get deeper soil moisture. In spite of the fact that these alterations make it easier for the plant to endure droughts, they produce slower growth and production, which has an immediate and detrimental effect on both food security and economic stability, particularly in regions where this crop is strongly reliant.

The biochemistry of Golden Sweet Potato plants undergoes significant changes as a result of water scarcity. One of the common responses to drought is the breakdown of chlorophyll, which leads to a reduction in the effectiveness of photosynthetic processes. Because of the decrease in chlorophyll content, the plant's ability to absorb light energy and produce carbohydrates is hindered, which in turn inhibits the plant's growth and productivity. In addition, water scarcity has an effect on the creation of proteins and the metabolism of those proteins. Proteins that react to stress, such as heat shock proteins and dehydrins, are crucial for maintaining the proper functioning of cells while they are under the influence of drought stress. The accumulation of osmolytes, which include sugars and amino acids, contributes to the maintenance of cellular turgor and protects cellular structures from the harmful effects of dehydration. The metabolism of carbohydrates is altered as a result of this. Furthermore, increased antioxidant activity is considered to be a plant defense mechanism against drought-induced oxidative stress. This method highlights the plant's efforts to mitigate the negative effects of reactive oxygen species.

The findings underscore how important it is to develop cultivars of Golden Sweet Potatoes that are resistant to drought. A number of characteristics, including as deep root systems, efficient water consumption, and greater stress tolerance, should be prioritized in breeding programs that are designed to improve the crop's resilience to water scarcity. Both genetic engineering and markerassisted selection are examples of prospective biotechnological technologies that have the potential to speed up the process of developing cultivars that are resistant to drought. The ability of the crop to withstand water scarcity without compromising its productivity may be improved by scientists via the discovery and incorporation of drought-tolerance features.

Increasing the efficiency of irrigation procedures is yet another essential strategy that may be used to mitigate the adverse impact that water scarcity has on the growth of Golden Sweet Potatoes. Effective irrigation techniques, such as drip irrigation and precision agriculture, have the potential to significantly reduce the quantity of water that is used

Journal of Advances in Science and Technology Vol. 21, Issue No. 1, March-2024, ISSN 2230-9659

by crops while also ensuring that they get an adequate level of moisture. Through the timing of irrigation according to the water needs of plants and the moisture content of the soil, it is possible to maximize the efficiency with which water is used and to decrease waste. In addition, improving the structure of the soil, increasing the amount of water that penetrates the soil, reducing the amount of water that evaporates, and providing organic supplements are all ways that may contribute to improved soil health and to the growth of plants during droughts. These methods include of the use of organic amendments, the use of cover crops, and the application of mulch.

Policy, resource management, and community engagement are all essential elements that must be included in a comprehensive approach to address the issue of water scarcity. The long-term survival of agriculture is contingent on the existence of rules that protect water resources and promote the use of water in a sustainable manner. The appropriate management of existing water resources, such as the collecting of rainfall, the recharging of groundwater, and the management of watersheds, may help to alleviate the problem of water scarcity. In order to maximize the use of water-saving strategies, it is necessary to educate farmers and communities about the importance of water conservation and sustainable agricultural practices. In order to facilitate the exchange of knowledge and best practices, training courses and extension services are very necessary.

The morphological and biochemical properties of the growth of Golden Sweet Potatoes are significantly impacted by the scarcity of water, as stated in the previous sentence. For the purpose of developing solutions that successfully boost drought resistance, it is necessary to have a grasp of these impacts as well as the processes happening underneath the surface of plant response. The support of research and development, the increasing of stakeholder awareness and education, and the encouragement of collaboration are all necessary components in the construction of a resilient agriculture business. We are able to increase the growth and productivity of Golden Sweet Potatoes in water-limited settings by employing scientific knowledge and creative approaches. This allows us to reduce the negative consequences of water scarcity while simultaneously adding to the benefits of water scarcity. It is necessary to ensure the resilience of this key crop in order to maintain food security and agricultural productivity in the face of risks posed by the global climate for agriculture.

REFERENCES

1. Ahmadi, M., Astaraei, A., Lakzian, A., & Emami, H. (2021). Study of millet (Panicum miliaceum) response to humic acid, silicon and mycorrhiza application under saline-sodic irrigation Water Stress. *Environmental Stresses in Crop Sciences, 14*(3), 823-836. doi: 10.22077/escs.2020.2842.1782.

- Bamshad, R., Ramroudi, M., & Asgharipour, M. (2018). Effect of chemical and biological fertilizers on seed yield and biochemical traits of black cumin (Nigella Sativa) under irrigation cutting conditions. *Journal of Crops Improvement, 20*(3), 655-666. doi: 10.22059/jci.2018.248224.1901.
- 3. Bovell Benjamin, A. C. Sweet potato: A review of its past, present, and future role in human nutrition. Advances in Food and Nutrition Research, 2007; 52: 1–59.
- 4. Chandini & Kumar, Randeep & Kumar, Ravendra & Prakash, Om. (2019). The Impact of Chemical Fertilizers on our Environment and Ecosystem.
- 5. Danilo Tedesco, Bruno Rafael de Almeida Moreira, Marcelo Rodrigues Barbosa Júnior, Murilo Maeda, Rouverson Pereira da Silva, management Sustainable of sweet potatoes: A review on practices, strategies, and opportunities in nutrition-sensitive agriculture, energy security, and quality of life, Agricultural Systems, Volume 210, 2023, 103693, ISSN 0308-521X, https://doi.org/10.1016/j.agsy.2023.103693.
- 6. Darini, M. T. (2020). Response, Correlation of Growth Analysis and Shallot Yield under Different Nitrogen Fertilizer Dosage and Rhizobacteria Source. *Journal of Agronomy*, *19*, 131-137.
- Low, J., Ball, A., Magezi, S., Njoku, J., Mwanga, R., Andrade, M., ... & Beauwens, T. (2009). Sweetpotato in Sub-Saharan Africa. In: Loebenstein, G., & Thottappilly, G. (Eds.). The Sweetpotato. Springer.
- Martínez-Arias, C., Witzell, J., Solla, A., Martin, J. A., & Rodríguez-Calcerrada, J. (2022). Beneficial and pathogenic plant-microbe interactions during flooding stress. *Plant, Cell & Environment, 45*, 2875– 2897. https://doi.org/10.1111/pce.14403
- Marzouk, T., Kaushik, N., Chaouachi, M., Sharma, A., Badri, M., & Djébali, N. (2022). Endophytic microbes modulate plant responses to abiotic stresses: a review. *JOURNAL OF OASIS AGRICULTURE AND SUSTAINABLE DEVELOPMENT*, 4(3), 62– 85. https://doi.org/10.56027/JOASD.172022
- Mataa, M., Kalima, P., & Lungu, D. (2021). Morphophysiological Responses of Common Bean (Phaseolus vulgaris L.) Genotypes to Water Stress. University of Zambia Journal of Agricultural and Biomedical Sciences, 5(1).

https://journals.unza.zm/index.php/JABS/article /view/611

- Porto, E. M. V., Teixeira, F. A., Fries, D. D., Jardim, R. R., Amaro, H. T. R., Santos Filho, J. R. dos, Santos, J. P. dos, Jesus, F. M. de, Silva, H. S., Vieira, T. M. (2022). Plant growthpromoting microorganisms as mitigators of Water Stress in pastures: a narrative review. Research, Society and Development, 11(11), e514111134029. https://doi.org/10.33448/rsdv11i11.34029
- 12. Ramadan, M.ES. Alleviation of irrigation water salinity impact on the growth and yield of sweet potato by plant growth-promoting rhizobacteria inoculation. Hortic. Environ. Biotechnol. (2024). https://doi.org/10.1007/s13580-024-00598-3
- Raza, A., Charagh, S., Salehi, H., Abbas, S., Saeed, F., Poinern, G. E. J., ... & Rizwan, M. (2023). Nano-enabled stress-smart agriculture: Can nanotechnology deliver Water and salinity-smart crops? *Journal of Sustainable Agriculture and Environment*, 2, 189–214. https://doi.org/10.1002/sae2.12061
- Saqib, Muhammad & Khalid, Muhammad & Hussain, Sajjad & Anjum, Muhammad Akbar. (2017). Effect of water stress and planting system on growth, yield and quality of sweet potato. Acta Scientiarum Polonorum, Hortorum Cultus. 16. 201-210. 10.24326/asphc.2017.6.18.

Corresponding Author

Pragya Tiwari*

Research Scholar, Department of Botony, NIILM University, Haryana, India

Email: pragyatiwari23@gmail.com