



The Role of Traditional Healers in Preserving Medicinal Plant Knowledge in Tribal Areas

Rajesh Kumar Patel ^{1*}, Dr. Anubha Joshi ²

1. Research Scholar, Department of Botany, Kalinga University, Naya Raipur, Chhattisgarh, India

raj9424168929@gmail.com ,

2. Proffesor, Department of Botany, Kalinga University, Naya Raipur, Chhattisgarh, India

Abstract: Traditional healers are essential in preserving and conveying indigenous knowledge on medicinal herbs within tribal groups. This research examines the importance of traditional healers in preserving medicinal plant knowledge, emphasizing their function as cultural guardians and healthcare practitioners in isolated tribal regions. The study examines the methods by which these healers get, apply, and transmit their expertise, often via oral traditions, therefore addressing the healthcare requirements of the community and promoting biodiversity conservation. The research examines case studies from specific tribal communities, emphasizing the obstacles faced by these healers, such as the decline of traditional practices resulting from modernity and deforestation. It also analyzes the incorporation of this knowledge into official healthcare systems and the prospects for sustainable use of therapeutic plants. The report continues by emphasizing the need of recording and safeguarding traditional medical knowledge to guarantee its preservation and ongoing advantages for tribe and broader populations in the future.

Keywords: Traditional healers, Medicinal plant knowledge, Tribal communities, Ethnobotany

----- X -----

INTRODUCTION

Traditional healers have historically been seen as the principal guardians of medicinal plant knowledge in several tribal and indigenous cultures. This extensive repository of information, developed over generations, signifies a crucial convergence of cultural history, natural biodiversity, and traditional healing methodologies. In tribal regions, where access to contemporary medical institutions is often restricted, traditional healers function as the principal healthcare practitioners, using their profound knowledge of medicinal flora to address a diverse range of maladies. Their function beyond basic medical care; they serve as cultural icons, custodians of knowledge, and often as spiritual leaders within their communities. Knowledge of medicinal plants is an essential aspect of several indigenous societies, transmitted orally throughout generations. In these communities, the environment is intricately connected to everyday life, and traditional healers possess a profound knowledge of the local flora, particularly its therapeutic attributes. This knowledge is dynamic; it develops via observation, experimentation, and experience, often adjusting to the evolving requirements of the community. These healers often possess specialized knowledge of local ecosystems, which aids in treating the ill and is vital for protecting the biodiversity of these areas. The synergistic interaction between traditional healers and the natural environment constitutes the foundation of several tribal healthcare systems.

The worldwide increase in interest in alternative medicine and ethnopharmacology has underscored the significance of traditional healers and their expertise in medicinal plants. Ethnobotanical research has

revealed several plant-derived medicines used by traditional healers, which provide considerable promise for the development of novel medications. Nonetheless, despite this acknowledgment, the conventional knowledge systems underpinning indigenous healthcare are progressively endangered. Deforestation, habitat destruction, and environmental degradation are exhausting the natural resources that underpin several traditional cures. Moreover, the dynamics of industrialization, urbanization, and cultural assimilation are undermining the traditional traditions that have historically been essential to these communities. As younger generations gravitate away from conventional lives, a widening chasm emerges between them and the wisdom possessed by their elders. This presents a significant risk to the perpetuation of conventional therapeutic methods.

The function of traditional healers in safeguarding medicinal plant knowledge is crucial for the health of indigenous populations, as well as for biodiversity conservation and the maintenance of cultural identity. In tribal regions, traditional healers often function within a comprehensive framework that integrates spiritual beliefs, rituals, and communal values. Their healing techniques are intricately woven into the community's social fabric, establishing a vital connection among health, culture, and the environment. The dissemination of this information is often informal and depends on trust and apprenticeship within familial or communal contexts. This information is often meticulously safeguarded and disseminated just to a chosen few, so preserving its relevance and validity. In recent years, initiatives have been undertaken to chronicle and standardize the expertise of traditional healers to save it from obsolescence. Numerous international organizations, governmental bodies, and non-governmental entities have acknowledged the significance of traditional knowledge systems and have advocated for their preservation. Nonetheless, these endeavors often encounter considerable obstacles. A fragile equilibrium exists between safeguarding traditional knowledge and preventing its use by commercial entities without equitable remuneration to the communities that possess it. Biopiracy, defined as the illicit commercial exploitation of indigenous knowledge, is an increasing issue as pharmaceutical corporations and academics endeavor to use the therapeutic attributes of plants traditionally recognized by indigenous healers.

This study work seeks to examine the complex function of traditional healers in tribal groups, emphasizing their preservation, transmission, and use of medicinal plant knowledge. The research will investigate how traditional healers get their expertise, the cultural and ecological circumstances of its use, and the obstacles they encounter in preserving these traditions. The article will examine the possibilities for incorporating traditional medicinal knowledge into official healthcare systems, addressing both the opportunities and constraints involved. This research utilizes case studies from several tribal locations to elucidate the present condition of traditional healing methods and their significance for the future of healthcare and biodiversity preservation.

This study will examine the methodology used by traditional healers in the selection, preparation, and administration of medicinal herbs. These processes are often specialized, requiring comprehension of both the biological characteristics of plants and the cultural and spiritual aspects of healing. Traditional healers often operate within a holistic paradigm, recognizing the interconnection of the patient's physical, emotional, and spiritual well-being. This is in opposition to the reductionist methodology often used by contemporary medicine, which mostly focuses on addressing certain symptoms or ailments. The comprehensive character of traditional treatment underscores the need of comprehending the cultural

context in which knowledge of medicinal plants is used.

The paper will examine the gendered dimensions of ancient healing methods. In some tribal cultures, the position of healer is inherited within generations, with women often assuming a pivotal role in preserving and conveying knowledge about medicinal plants. Women, as major caretakers in the family, often have substantial knowledge about plants used for treating common diseases. This knowledge is essential for both familial healthcare and community resilience amidst restricted access to official medical services. The contribution of women in traditional healing techniques is sometimes overlooked in ethnobotanical studies and healthcare strategies.

The incorporation of traditional medicinal knowledge into official healthcare systems offers both advantages and obstacles. Recognizing and acknowledging the expertise of traditional healers may improve healthcare results in tribal and rural regions, where access to modern medicine is often restricted. Conversely, substantial obstacles to this integration exist, such as divergent worldviews, the absence of official acknowledgment of traditional healers, and apprehensions around intellectual property rights. This study will critically analyze these topics, evaluating the possible advantages and disadvantages of merging traditional and contemporary healthcare systems. In summary, traditional healers are essential for the preservation of medicinal plant knowledge in tribal regions, a function that faces growing challenges from environmental, social, and economic forces. Their expertise is a significant asset for healthcare and serves as an essential element of cultural heritage and biodiversity preservation. This study seeks to chronicle and analyze the activities of traditional healers, so contributing to the preservation of this knowledge and emphasizing the need of maintaining indigenous healthcare systems amid global change. This article will provide insights into the protection and sustainability of traditional healing practices for the benefit of tribal people and the broader society via ethnobotanical research, case studies, and policy analysis.

LITERATURE OF REVIEW

Kumar et al. (2023) Tribal people in India possess a profound history and have coexisted together with nature for millennia. Nonetheless, their access to healthcare is obstructed by inadequate infrastructure, illiteracy, poverty, unemployment, socioeconomic difficulties, and marginalization. Consequently, tribal populations often resort to traditional healers and indigenous medical techniques, which are cheap and readily available. These practitioners lack official medical qualifications but depend on their wide expertise, using locally sourced therapeutic flora, fauna, and mineral compounds. This research sought to investigate the socioeconomic position, therapeutic methodologies, and information dissemination techniques of tribal healers and folk practitioners, and to provide an evidence-based framework for their incorporation into the mainstream via upskilling, certification, and federation. The research included 1,649 individuals from 43 districts throughout seven tribal-majority states, with a mean age of 52.6 years. Traditional healers, despite their profound connections, encounter obstacles including stigmatization, resource limitations, lack of formal training, legal and regulatory issues, ethical concerns, and economic hardships. Incorporating traditional healing into comprehensive healthcare systems may improve inclusion and provide holistic treatment for native communities.

Sardar et al. (2022) Numerous tribal populations in India continue to use traditional medicinal herbs. Our study focuses on the contemporary use of these plants among various tribal populations in the Sundarban

mangrove forest area. Methods: Twelve villages in four blocks (Gosaba, Basanti, Kultali, PatharPratima) and the adjacent forest region were chosen for data collection on traditional medicinal plants from 2016 to 2019, encompassing almost all seasons of the year. Data was acquired from respondents. A total of 12 key informants have been selected for interviews, all of them are local tribal individuals and herbalists. Outcomes: Various medicinal herbs may be used to cure cuts and wounds, digestive disorders, diarrhea, dysentery, hunger issues, and blood pressure ailments. One specific variation was used for cuts and wounds; another for diarrhea; one variety for hypertension; one variety for gastrointestinal issues; one variety for lower abdominal discomfort; one species for cough and as a tonic; and the other three species were employed for vitamin production, respectively. Conclusion: The Sundarbans is a place of mangrove forest biodiversity. Local tribal populations use several therapeutic herbs based on their traditional knowledge. Despite the rapid advancement and reliability of contemporary medicine, the potential benefits of medicinal plants remain inadequately investigated. If these plants are efficiently used for numerous human disorders in a scientific manner, then scientific acceptability will expand. The outcome of this investigation is warranted for the benefit of society as a whole.

Dlamini et al. (2021) The objective of this research is to examine and appraise the methods and strategies for maintaining traditional medicinal knowledge. The reliance on indigenous knowledge within communities remains consistent as it has been in previous years. Consequently, indigenous knowledge serves as the fundamental basis for local decision-making in developing nations and represents a crucial element of global knowledge on development challenges. Research in indigenous knowledge has significantly expanded over the years, yet most of this information remains in its tacit form. It is essential to assess these attempts and methods for maintaining traditional medical knowledge due to the inherently oral transmission of indigenous knowledge between generations. their chapter analyzed the several activities globally aimed at maintaining indigenous knowledge, methods for safeguarding traditional medical practices, and the obstacles associated with their preservation. This article stated that no precise approaches exist for maintaining traditional medical knowledge, and numerous initiatives by different countries worldwide have had both successful and unsuccessful outcomes. The problems can be surmounted if the government, users, and proprietors of this information align their objectives towards its preservation for the benefit of future generations.

Mbuni et al. (2020) Medicinal plants are essential sources of readily available remedies used in rural healthcare systems. This research sought to identify and document plants used for medical treatment by three populations residing in the Cherangani Hills. To yet, no comprehensive investigation has recorded medicinal plants together in the region. Ethnobotanical data were collected by interviewing informants using semi-structured questionnaires and collecting information from journals and books. Descriptive statistical analysis was used to characterize the data. A total of 296 plant species from 80 families and 191 genera were recognized. The Asteraceae family was the most prevalent, with 10.7% of the total documented plant species. Roots were the most often used components of the plant, accounting for 35.9%. The predominant preparation technique used was decoction (54.9%). The reported ailments were categorized into 14 distinct categories from the 81 health problems based on user reports. The rural settlements of Cherangani Hills are abundant in flora with therapeutic characteristics. The therapeutic applications of the assembled plants provide fundamental insights that may assist researchers in pursuing

further investigations focused on species conservation and pharmacological examinations of the most significant species.

Aziz et al. (2018) The research examines the ethnomedicinal knowledge of indigenous plants in an uncharted tribal region of Pakistan. Data were gathered using semi-structured questionnaires administered to community members and local herbalists. The research identified 64 species of medicinal plants, categorized into 60 genera and 41 families. The predominant plant families used were Lamiaceae (8 species) and Asteraceae (7 species). The most frequently reported species were *Caralluma tuberculata* N.E. Br. (49 URs), *Thymus serpyllum* L. (49 URs), *Fagonia cretica* L. (47 URs), *Plantago lanceolata* L. (45 URs), *Periploca aphylla* Decne. (44 URs), *Citrullus colocynthis* (L.) Schrad. (44 URs), and *Sideroxylon mascatense* (A.DC.) T.D.Penn. (44 URs). New ethnomedicinal applications were documented for *Boerhaavia elongata* Brandege and *Fumaria officinalis* L., accompanied with a confidential level of URs from the research region. Nineteen health disorders were documented, using thirty plant species for digestive ailments. This work significantly contributes to ethnomedicine, since traditional knowledge is confined to healthcare practitioners and senior community members.

Debbarma et al. (2017) The research was carried out in the Mandwi region and its periphery within the Tripura district to catalog the ethno-medicinal plants and their traditional uses among the Mandwi people. Field excursions occurred from March to June 2013, assisted by indigenous medicine men referred to as bhoidho (Tripuri). Data was gathered using structured questionnaires and observations conducted during field trips. The research indicated that the indigenous populace used 51 plant species from 32 families to treat diverse ailments. The predominant family was Fabaceae, followed by Asteraceae and Lamiaceae. The greatest quantity of herbs was used for diarrhea, bodily discomfort, cough, and toothache. The research determined that the Tripuri tribes had extensive knowledge about medicinal plants and their applications, and emphasizing documentation might augment the potential of these plants for other societies.

METHODOLOGY

This study paper's approach aims to thoroughly investigate the significance of traditional healers in preserving medicinal plant knowledge in tribal regions. Due to the sensitive and culturally ingrained character of this subject, a multi-method approach integrating qualitative and ethnobotanical research approaches has been used. This method facilitates a comprehensive comprehension of ancient medical techniques, their social context, and the ecological knowledge pertaining to medicinal flora.

- **Research Design-** This research employs an exploratory, qualitative approach, appropriate for examining traditional healing techniques and its socio-cultural ramifications. The concept incorporates ethnographic and ethnobotanical research methodologies to investigate how traditional healers get, use, and disseminate knowledge about therapeutic plants. The study is divided into three phases:
 - Ethnobotanical investigations to catalog therapeutic flora used by traditional practitioners.
 - Conduct ethnographic interviews and participant observation with traditional healers to comprehend their techniques, knowledge dissemination, and problems.
 - Analysis of data to evaluate the wider effects of traditional therapeutic techniques on healthcare,

cultural preservation, and biodiversity protection.

- **Study Area and Population-** The study is carried out in certain tribal areas of India, where traditional healing methods remain common and access to contemporary healthcare is restricted. The selection of these regions is predicated on the following criteria:

- Existence of traditional healers with recognized credibility in their communities.
- Diverse biodiversity, especially in woodland regions, where medicinal flora is plentiful.
- Restricted access to contemporary medical facilities, leading to dependence on conventional healthcare systems.

The research largely examines indigenous groups inhabiting forests and rural areas, including the Gond, Santhal, and Bhil tribes. These communities have always depended on healers for treatment, and their expertise in medicinal flora is essential to their lifestyle.

- **Sampling Procedure-**

- **Purposive Sampling-** The research used purposive sampling to choose traditional healers, community elders, and informed persons regarded as stewards of medicinal plant knowledge. Local community leaders and tribal councils were engaged to choose participants for the research. The sample size is dictated by the need for comprehensive interviews and the objective of achieving data saturation, often including 20–30 healers and informed persons from each chosen community.
- **Snowball Sampling-** In addition to purposive sampling, a snowball sampling strategy is used, whereby initial participants refer additional traditional healers and practitioners within the community. This method facilitates access to healers who may be obscure or hesitant to engage in formal study but are recognized within the community for their proficiency.

- **Data Collection Methods**

a. Ethnobotanical Surveys- Ethnobotanical surveys were conducted to document the specific medicinal plants used by traditional healers in the study area. The following steps were taken:

- **Field Visits and Plant Collection:** Healers were accompanied on their foraging trips, where they identified and collected plants. Each plant was photographed, and its local name, habitat, and medicinal uses were documented.
- **Herbarium Development:** A herbarium of the plants was created for scientific identification, ensuring that the traditional knowledge was properly cataloged.
- **Data Recording:** For each plant, data was recorded on its preparation, dosage, method of administration, and the specific ailments it treats.

b. Semi-Structured Interviews and Focus Group Discussions- Semi-structured interviews were conducted with traditional healers to explore their knowledge, methods of treatment, and the socio-cultural significance of their practices. These interviews covered topics such as:

- The healer's training and the transmission of knowledge (e.g., apprenticeship or family lineage).
- The healer understands of local ecology and plant-based treatments.
- The healer's role within the community, including spiritual or ritualistic responsibilities.

Focus group discussions with community members were also organized to understand how traditional healers are perceived, the extent to which they are relied upon for healthcare, and any changes in their role over time.

c. Participant Observation- Participant observation was a key part of the research, allowing for an immersive understanding of how traditional healing practices are performed. Researchers spent time with the healers in their daily routines, observing treatments, rituals, and plant preparation methods. This approach provided firsthand insights into the context in which medicinal plant knowledge is applied.

d. Case Studies- Several in-depth case studies were developed to provide detailed accounts of individual healers and their work. These case studies documented the healer's life, their relationship with medicinal plants, specific challenges they face (such as environmental degradation), and their interaction with both modern medicine and local authorities.

- **Data Documentation and Ethical Considerations**

Given the importance of preserving indigenous knowledge and respecting the rights of tribal communities, the study follows strict ethical guidelines:

- **Informed Consent:** All participants were informed about the purpose of the study and gave their consent before participating. Healers and community members were also informed about the potential use of their knowledge in academic publications.
- **Confidentiality:** The identities of the participants, particularly the traditional healers, were kept confidential unless they agreed to have their names used.
- **Benefit Sharing:** In line with the Nagoya Protocol on Access and Benefit-Sharing, the study ensures that any potential benefits derived from the traditional knowledge documented (e.g., in future pharmaceutical research) are shared equitably with the community.

- **Data Analysis**

a. Thematic Analysis: The qualitative data gathered through interviews, focus group discussions, and participant observation were analyzed using thematic analysis. Key themes were identified, including:

- The methods of knowledge acquisition and transmission.
- The relationship between healers and their environment.
- The challenges faced by traditional healers in the modern context.
- The potential for integrating traditional medicine with modern healthcare systems.

b. Ethnobotanical Data Analysis: The plants documented during the ethnobotanical surveys were analyzed in collaboration with botanists and pharmacologists to confirm their scientific identification and evaluate their medicinal properties. A database was created to catalog these plants, including their

traditional uses, ecological status, and potential for pharmacological research.

• **Limitations of the Study**

Several limitations were encountered during the research:

- **Accessibility:** Some tribal areas were difficult to access due to geographical and political challenges, limiting the scope of fieldwork in certain regions.
- **Language Barriers:** In some cases, language barriers required the assistance of local translators, which may have affected the precision of certain data.
- **Cultural Sensitivity:** Some traditional healers were hesitant to share their knowledge, fearing misuse or exploitation. This required building long-term relationships and trust with the community to gather data ethically and respectfully.
- **Environmental Factors:** Ongoing deforestation and habitat destruction in some regions meant that certain medicinal plants were no longer available, potentially affecting the accuracy of the healers' knowledge.

OBSERVATIONS

The observations for this research paper are based on data collected from traditional healers in tribal areas, documenting their practices, medicinal plant use, and the broader socio-cultural and ecological contexts in which they operate. The data includes the identification of key medicinal plants, the ailments they treat, and the methods of knowledge transmission within these communities. The results are presented in tables for clarity and better understanding.

Table 1: Common Medicinal Plants Used by Traditional Healers

Plant Name (Scientific)	Local Name	Part Used	Preparation Method	Ailments Treated
Azadirachta indica	Neem	Leaves, bark	Decoction, paste	Skin infections, fever, diabetes
Ocimum sanctum	Tulsi	Leaves	Infusion, fresh juice	Respiratory issues, cough, cold
Curcuma longa	Haldi	Rhizome	Paste, powder	Inflammation, wounds, digestive disorders
Terminalia chebula	Harad	Fruit	Powder, extract	Digestive issues, immunity booster
Phyllanthus emblica	Amla	Fruit	Fresh, dried, juice	Immunity, respiratory issues, digestion
Adhatoda vasica	Vasaka	Leaves	Juice, infusion	Cough, asthma, bronchitis

Table 2: Traditional Healing Practices and Techniques

Traditional Healer	Knowledge Source	Knowledge Transmission Method	Types of Treatment	Ritual/Spiritual Component
Healer 1	Family lineage	Oral transmission, apprenticeship	Herbal remedies, massage therapy	Prayers before treatment
Healer 2	Community elder	Apprenticeship, observation	Plant-based remedies, poultices	Ritual chanting
Healer 3	Self-taught through observation	Direct teaching to next generation	Herbal infusions, spiritual healing	Offering to deities before healing
Healer 4	Maternal lineage	Oral transmission	Decoctions, topical application	Sacred plant offerings
Healer 5	Local apprenticeship	Apprenticeship, observation	Holistic healing (physical and spiritual)	Meditation and healing rituals

Table 3: Challenges Faced by Traditional Healers

Challenge	Description
Deforestation	Loss of forested areas where medicinal plants are traditionally harvested.
Cultural assimilation	Younger generations adopting modern lifestyles, leading to the loss of interest in traditional healing.
Lack of formal recognition	Traditional healers not recognized by formal healthcare systems, limiting support and validation.
Biopiracy	Exploitation of indigenous knowledge by pharmaceutical companies without fair compensation.
Environmental degradation	Pollution and habitat destruction affecting the availability and quality of medicinal plants.

Table 4: Methods of Knowledge Transmission

Knowledge Transmission Method	Percentage of Healers Using This Method
Oral transmission (within family)	45%
Apprenticeship (community-based)	30%
Ritual teaching	15%
Self-learning through observation	10%

Table 5: Gender Distribution of Traditional Healers

Gender	Percentage of Healers
Male	65%
Female	35%

Table 6: Ailments Commonly Treated by Traditional Healers

Ailment	Percentage of Healers Treating This Ailment	Common Plants Used
Respiratory issues (cough, cold)	70%	Tulsi, Vasaka, Harad
Skin infections and wounds	60%	Neem, Turmeric
Digestive disorders	50%	Harad, Amla
Joint pain and inflammation	45%	Turmeric, Neem
Fever and general infections	40%	Neem, Tulsi
Asthma and bronchitis	30%	Vasaka, Tulsi

- **Summary of Observations:**

1. **Diverse Plant Use:** Traditional healers in tribal areas rely on a wide variety of medicinal plants for treating a broad spectrum of ailments, with some plants like neem and tulsi having multi-purpose uses.
2. **Knowledge Transmission:** Most traditional knowledge is passed orally within families, with some transmission occurring through apprenticeships. A small number of healers have acquired knowledge through self-learning, mainly by observing nature.
3. **Cultural Role of Healers:** Healing practices are deeply intertwined with cultural and spiritual traditions. Healers often incorporate rituals, prayers, and offerings as part of their treatment process.
4. **Challenges:** Traditional healers face numerous challenges, such as environmental degradation, deforestation, and the lack of formal recognition within modern healthcare systems. Biopiracy is a significant concern, as indigenous knowledge is sometimes exploited without fair compensation.
5. **Gender Roles:** Male healers dominate the practice, though female healers also play a significant role, particularly in family-based transmission of knowledge.

CONCLUSION AND DISCUSSION

This research underscores the critical role of traditional healers in preserving medicinal plant knowledge within tribal communities, serving as both healthcare providers and cultural custodians. The ethnobotanical richness documented in the study, with plants like neem, tulsi, and turmeric used for various ailments, highlights the significance of these healers in maintaining traditional health practices. However, challenges such as environmental degradation, deforestation, and the diminishing interest of younger generations in traditional healing are threatening this knowledge. The lack of formal recognition of traditional healers in modern healthcare systems further exacerbates these challenges. Integrating traditional healing practices with modern medicine, alongside conservation efforts to protect medicinal plant resources, could help preserve this vital knowledge. This integration would not only enhance healthcare delivery in rural areas but also safeguard cultural and ecological heritage for future generations. Thus, the preservation of traditional medicinal knowledge is essential for holistic health and biodiversity conservation in tribal regions.

References

1. Aziz, M. A., Adnan, M., Khan, A. H., Shahat, A. A., Al-Said, M. S., Ullah, R., & Zahoor, M. (2018). Traditional uses of medicinal plants used by indigenous communities for veterinary practices at Bajaur Agency, Pakistan. *Journal of Ethnopharmacology*, 218, 15-30.
2. Debbarma, S., Syiem, D., & Sawian, J. (2017). Ethno-medicinal plants of Tripura in North-East India: A survey of plants used by the Mandwi tribe. *Journal of Medicinal Plants Research*, 11(5), 88-94.
3. Dlamini, N., Motsa, N., & Zwane, L. (2021). Preserving traditional medicinal knowledge: Methods and strategies. *Indigenous Knowledge and Development Studies*, 14(2), 99-112.
4. Kumar, P., Singh, R., & Thakur, V. (2023). Traditional healers and indigenous medical techniques among tribal populations: A framework for integration. *Journal of Ethnopharmacology*, 308, 115-134.
5. Mbuni, Y. M., Kinyanjui, S. M., & Wekesa, C. (2020). Medicinal plants used by communities in Cherangani Hills, Kenya. *Ethnobotany Research and Applications*, 19, 1-12.
6. Sardar, S., Biswas, R., & Mondal, S. (2022). Use of traditional medicinal herbs among tribal populations of the Sundarbans. *International Journal of Herbal Medicine*, 10(2), 35-42.
7. Aziz, M. A., & Adnan, M. (2018). Ethnomedicinal knowledge of indigenous plants in uncharted tribal regions of Pakistan. *Ethnobotany Research and Applications*, 16, 1-12.
8. Biswas, A., & Ray, S. (2019). Preservation of traditional medicinal knowledge in Northeast India: Strategies for sustainable management. *Ethnobotany Research and Applications*, 18, 49-57.
9. Chakraborty, R., & Basu, P. (2020). Ethnomedicinal plants used by the tribal communities of West Bengal, India. *Journal of Applied Research on Medicinal Plants*, 7(3), 89-97.
10. Dey, A., & De, J. N. (2018). Ethnobotanical uses of plants in West Bengal, India. *Journal of Medicinal Plants Research*, 12(11), 192-201.
11. Ghosh, R., & Ghosh, B. (2017). Traditional knowledge of herbal medicines used by the tribal people of Bankura District, West Bengal, India. *Indian Journal of Traditional Knowledge*, 16(4), 608-615.
12. Jain, A., & Singh, S. (2019). Ethnobotanical documentation of medicinal plants used by indigenous communities in the Himalayas. *Journal of Ethnobiology and Ethnomedicine*, 15, 22.
13. Joshi, K., & Pant, S. (2021). Medicinal plants in the traditional healthcare system of the Kumaon region. *Journal of Medicinal Plants Research*, 15(7), 160-174.
14. Kapoor, R., & Mishra, S. (2019). Traditional knowledge and uses of medicinal plants among the tribal populations of Central India. *Journal of Ethnopharmacology*, 234, 149-156.
15. Khatoon, S., & Das, A. (2020). Medicinal plants used by tribal communities of Assam, India. *Indian Journal of Traditional Knowledge*, 19(3), 476-484.
16. Kumar, S., & Tripathi, P. (2020). Ethnobotanical studies of medicinal plants used by the tribal

communities of Odisha. *International Journal of Herbal Medicine*, 8(2), 47-52.

17. Murmu, D., & Saha, P. (2019). An ethnobotanical study of medicinal plants used by tribal communities in the western Ghats. *Journal of Medicinal Plants Research*, 13(11), 110-118.
18. Pandey, R., & Singh, N. (2020). Role of traditional healers in preserving indigenous knowledge of medicinal plants in Chhattisgarh, India. *Ethnobotany Research and Applications*, 17, 99-107.
19. Sen, T., & Patra, B. (2018). Ethnomedicinal uses of plants by the tribes of Odisha, India: A case study. *Journal of Medicinal Plants Research*, 12(18), 302-309.
20. Sharma, V., & Gaur, R. (2019). Ethnobotanical exploration of medicinal plants in Rajasthan's tribal regions. *Journal of Ethnobiology and Ethnomedicine*, 15, 45.